

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| | | (output\$5 with both with (device\$5 adj2 dependent\$5 near4 device\$5 adj2 independent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 10:26 |
| | | (convert\$5 adj4 (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) with (RAW PCL\$2 dependent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 14:25 |
| | | ((determin\$5 analyz\$5)\$5 with (print\$5 adj2 driver\$5) with (attribut\$5 parameter\$5 setting\$5 model\$5 version\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 13:59 |
| | | ((determin\$5 analyz\$5)\$5 with (print\$5 adj2 driver\$5) with (attribut\$5 parameter\$5 setting\$5 model\$5 version\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 13:56 |
| | | (determin\$5 analyz\$5)\$5 with (print\$5 adj2 driver\$5) with (attribut\$5 parameter\$5 setting\$5 model\$5 version\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 13:56 |
| | | (determin\$5 analyz\$5)\$5 with (print\$5 adj2 driver\$5) with (attribut\$5 parameter\$5 setting\$5 model\$5 version\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 13:56 |
| S1 | 0 | (compar\$5 adj2 (printer\$5 adj2 driver\$5) adj2 (attribut\$5 parameter\$5 setting\$5 model\$5)) same (emf device\$5 adj2 independent\$5 RAW) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/16 11:14 |
| S2 | 0 | (compar\$5 adj2 (printer\$5 adj2 driver\$5) adj2 (attribut\$5 parameter\$5 setting\$5 model\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/16 11:15 |
| S3 | 0 | (compar\$5 adj2 (print\$5 adj2 driver\$5) adj2 (attribut\$5 parameter\$5 setting\$5 model\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/16 11:15 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S4 | 7 | (compar\$5 with (print\$5 adj2 driver\$5) adj2 (attribut\$5 parameter\$5 setting\$5 model\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/16 11:19 |
| S5 | 36 | (compar\$5 with (print\$5 adj2 driver\$5) near4 (attribut\$5 parameter\$5 setting\$5 model\$5 version\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/16 11:22 |
| S6 | 7 | S5 and @ad<"19991005" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/16 11:22 |
| S7 | 44 | (compar\$5 with (print\$5 adj2 driver\$5) with (attribut\$5 parameter\$5 setting\$5 model\$5 version\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 13:56 |
| S8 | 8 | S7 not S5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/16 11:22 |
| S9 | 6 | S8 and @ad<"19991005" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/16 11:24 |
| S10 | 2 | JP-09152946-\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/16 15:32 |
| S11 | 2 | ("6089765").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/20 11:06 |
| S12 | 211 | (compar\$5 determin\$5 analyz\$5) with (print\$5 adj2 (driver\$5 software\$5 firmware\$5)) with (attribut\$5 parameter\$5 version\$5 capabilit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 11:14 |
| S13 | 66 | S12 and @ad<"19991005" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 13:59 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S14 | 3 | (compar\$5 adj3 (printer\$5 adj2 driver\$5)) adj4 (model\$5 version\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 13:21 |
| S15 | 2 | JP-2002196906-\$.did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 13:21 |
| S16 | 269 | ((determin\$5 analyz\$5) with (print\$5 adj2 driver\$5) with (attribut\$5 parameter\$5 setting\$5 model\$5 version\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 13:59 |
| S17 | 73 | S16 and @ad<"19991005" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 14:27 |
| S18 | 2 | ("6089765").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/20 14:17 |
| S19 | 144 | (convert\$5 adj4 (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) with (RAW PCL\$2 dependent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 14:33 |
| S20 | 0 | (convert\$5 adj4 (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) with (RAW PCL\$2 dependent\$5)) same (different\$5 adj2 printer\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 14:26 |
| S21 | 0 | (convert\$5 adj4 (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) with (RAW PCL\$2 dependent\$5)) same printer%6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 14:26 |
| S22 | 0 | (convert\$5 adj4 (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) with (RAW PCL\$2 dependent\$5)) same printer46 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 14:26 |
| S23 | 51 | (convert\$5 adj4 (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) with (RAW PCL\$2 dependent\$5)) same printer\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 14:26 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S24 | 38 | S23 and @ad<"19991005" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 15:49 |
| S25 | 0 | (substitu\$5 alternat\$5) adj2 print\$5 with (convert\$5 adj4 (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) with (RAW PCL\$2 dependent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 14:34 |
| S26 | 0 | (substitu\$5 alternat\$5) adj2 print\$5 same (convert\$5 adj4 (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) with (RAW PCL\$2 dependent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 14:34 |
| S27 | 0 | (substitu\$5 alternat\$5) adj2 print\$5 same (convert\$5 with (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) same (RAW PCL\$2 dependent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 14:35 |
| S28 | 12 | (substitu\$5 alternat\$5) adj2 print\$5 and (convert\$5 with (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) same (RAW PCL\$2 dependent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 15:28 |
| S29 | 2 | ("6089765"):PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/20 15:07 |
| S30 | 3 | (convert\$5 with (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) same (RAW PCL\$2 dependent\$5)) same (different\$5 adj2 printer\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 15:48 |
| S31 | 43 | (convert\$5 with (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) same (RAW PCL\$2 dependent\$5)) and (different\$5 adj2 printer\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 15:50 |
| S32 | 20 | S31 and @ad<"19991005" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 17:22 |
| S33 | 6 | print\$5 adj2 driver\$5 with (convert\$5 with (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) same (RAW PCL\$2 dependent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 15:54 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S34 | 12 | print\$5 adj2 driver\$5 same (convert\$5 with (EMF\$2 intermediat\$5 adj1 data device adj2 independen\$5) same (RAW PCL\$2 dependent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 15:54 |
| S35 | 6 | S34 not S33 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 17:22 |
| S36 | 84 | (compar\$5 adj4 difference\$5) with (printer\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 17:24 |
| S37 | 64 | S36 and @ad<"19991005" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 17:24 |
| S38 | 182 | (determin\$5 adj4 difference\$5) with (printer\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 17:24 |
| S39 | 112 | S38 and @ad<"19991005" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 17:39 |
| S40 | 47 | (compar\$5 adj4 (print\$5 adj2 driver\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 17:39 |
| S41 | 14 | S40 and @ad<"19991005" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/20 17:39 |
| S42 | 4 | (output\$5 with both with (devic\$5 adj2 dependent\$5 near4 device\$5 adj2 independent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 10:33 |
| S43 | 5 | (print\$5 with both with (devic\$5 adj2 dependent\$5 near4 device\$5 adj2 independent\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/21 10:33 |